



snapshot


- **World-renowned glare-free** photometrics from anodized aluminum reflectors.
- **On-site adjustments** including lockable focus and changeable beamspreads.
- **Long-lasting durability**, thanks to heavy-gauge aluminum and steel.
- **LED and junction box** accessible through the aperture.
- **Modifications** welcomed; contact techsales@epl.com.

LEGEND

- DL** downlight
- AA** accent light
- NSP** narrow spot light
- VNSP** very narrow spot
- WL** wallwasher
- DW** double wallwasher (corridors)
- CW** corner wallwasher


WAFER					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
2" 3" 4"	DL AA NSP WL	CREE	1800	<ul style="list-style-type: none"> • shallow • <i>Energy Star</i> • wood joist and millwork options • wireless available • <i>Quick Ship</i> 		✓	


VALUE					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5" 6"	DL WL	PHILIPS	2000	<ul style="list-style-type: none"> • most affordable • <i>Quick Ship</i> 			✓


LED FTF					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5"	DL WL	PHILIPS	5000	<ul style="list-style-type: none"> • sloped available • wireless available • <i>Quick Ship</i> 	✓	✓	✓


Click on product names and checkmarks for more information.



APLUS					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5" 6"	DL WL DW CW	CREE	4000	<ul style="list-style-type: none"> interchangeable function dim-to-warm available surface-mounted available 	✓	✓	


FOUR & FIVE HI CZS					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5"	DL AA NSP WL	CITIZEN	5100	<ul style="list-style-type: none"> wireless available optional lens holder surface-mounted available 			✓
	VNSP	CREE		<ul style="list-style-type: none"> up to 47,390 CBCP 			

THREE, FOUR & FIVE XTM					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
3" 4" 5"	DL AA NSP WL	XICATO	4000	<ul style="list-style-type: none"> superb color consistency accepts lenses surface-mounted available 	✓	✓	✓
						Title 24 (4" only)	Steamroom available (4")

MOOD MASTER					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4"	DL AA WL	LUMENETIX	2000	<ul style="list-style-type: none"> tunable white light and saturated colors wireless commissioning 			

Click on product names and checkmarks for more information.



ATRUM					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
7"	DL AA NSP WL	CITIZEN	7000	<ul style="list-style-type: none"> for multi-story spaces up to 40' high 0-40° angular adjustment wireless available 			






Trimless, Glare-less

Trimless, flush installation achieved in sheetrock ceilings with integral PRIM screen.

Glare-free apertures from anodized aluminum reflectors. Anodization substantially reduces aperture brightness, and lengthens performance for decades.

WAFER SQUARE					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	MAX LMS	FEATURES	TRIMLESS (PRIM)		
3"	DL AA NSP WL	CREE	1500	<ul style="list-style-type: none"> shallow <i>Energy Star</i> clear, prismatic, or diffuse lens wood joist and millwork options 	✓		3"




SQUARE					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	TRIMLESS (PRIM)		
4" 5"	DL AA NSP WL	XICATO	3500	<ul style="list-style-type: none"> clear, prismatic, or diffuse lens 0-35° angular adjustment 45° shielding angle 	✓		3" 4"

ATZ					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	SOURCE LM MAX	FEATURES	TRIMLESS (PRIM)		
3" 4"	DL WL	XICATO	2500	<ul style="list-style-type: none"> for TechZone 4" or 6" channels 			

Click on product names and checkmarks for more information.

FOR RETROFIT LED LAMPS

Affordable fixtures, designed to accept Sora, Ketra, Philips, or other retrofit LED lamps, sold separately.

MRE					MODELS AVAILABLE		
APERTURE	FUNCTION	LED	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION	
3" 4"	DL AA WL	MR16 RETROFIT LED	<ul style="list-style-type: none"> dim-to-warm available 	✓		✓	
38E					MODELS AVAILABLE		
APERTURE	FUNCTION	LED	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION	
5" 6" 7"	DL AA	PAR38 RETROFIT LED	<ul style="list-style-type: none"> wireless dimming and color tuning with Ketra lamp sloped available surface-mounted available 	✓			
A19E					MODELS AVAILABLE		
APERTURE	FUNCTION	LED	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION	
4" 5" 6"	DL WL DW CW	A19 RETROFIT LED	<ul style="list-style-type: none"> interchangeable function affordable surface-mounted available 	✓			



TRIM FLUSH
plaster ring for seamless installation



REFLECTOR
finish options available



ACCESSORIES
spread lenses, diffusers, filters, screens

