



snapshot


LEGEND

- DL** downlight
- AA** accent light
- NSP** narrow spot light
- VNSP** very narrow spot
- WL** wallwasher
- DW** double wallwasher (corridors)
- CW** corner wallwasher


- **World-renowned glare-free** photometrics from anodized aluminum reflectors.
- **On-site adjustments** including lockable focus and changeable beamspreads.
- **Long-lasting durability**, thanks to heavy-gauge aluminum and steel.
- **LED and junction box** accessible through the aperture.
- **Modifications** welcomed; contact techsales@epl.com.


WAFER					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
2" 3" 4"	DL AA NSP WL	CREE	<ul style="list-style-type: none"> • shallow • <i>Energy Star</i> • wood joist and millwork options • wireless available • <i>Quick Ship</i> 	1800		✓	


VALUE					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5" 6"	DL WL	PHILIPS	<ul style="list-style-type: none"> • most affordable • <i>Quick Ship</i> 	2000			✓


LED FTF					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5"	DL WL	PHILIPS	<ul style="list-style-type: none"> • sloped available • wireless available • <i>Quick Ship</i> 	3000	✓	✓	✓

Click on product names and checkmarks for more information.



APLUS					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
5" 6"	DL WL DW CW	CREE	<ul style="list-style-type: none"> interchangeable function dim-to-warm available surface-mounted available 	3000	✓	✓	



FOUR FIVE CZS					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4" 5"	DL AA NSP WL	CITIZEN	<ul style="list-style-type: none"> wireless available optional lens holder surface-mounted available 	5100			✓
	VNSP	CREE	<ul style="list-style-type: none"> up to 47,390 CBCP 				


THREE FOUR FIVE XTM					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
3" 4" 5"	DL AA NSP WL	XICATO	<ul style="list-style-type: none"> superb color consistency accepts lenses surface-mounted available 	4000	✓	✓	✓
						Title 24 (4" only)	Steamroom available (4")


MOOD MASTER FOUR					ALSO AVAILABLE AS		
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION
4"	DL AA WL	LUMENETIX	<ul style="list-style-type: none"> tunable white light and saturated colors wireless commissioning 	2000			

Click on product names and checkmarks for more information.

WAFER SQUARE					ALSO AVAILABLE AS
APERTURE	FUNCTION	LED	FEATURES	MAX LMS	TRIMLESS (PRIM)
3"	DL AA NSP WL	CREE	<ul style="list-style-type: none"> shallow <i>Energy Star</i> clear, prismatic, or diffuse lens wood joist and millwork options 	1500	

SQUARE					ALSO AVAILABLE AS
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	TRIMLESS (PRIM)
4" 5"	DL AA NSP WL	XICATO	<ul style="list-style-type: none"> clear, prismatic, or diffuse lens 0-35° angular adjustment 45° shielding angle 	3500	

ATZ					ALSO AVAILABLE AS
APERTURE	FUNCTION	LED	FEATURES	SOURCE LM MAX	TRIMLESS (PRIM)
3" 4"	DL WL	XICATO	<ul style="list-style-type: none"> for TechZone 4" or 6" channels 	2500	



Trimless, Glare-less

Trimless, flush installation achieved in sheetrock ceilings with integral PRIM screen.


Glare-free apertures from anodized aluminum reflectors. Anodization substantially reduces aperture brightness, and lengthens performance for decades.


Click on product names and checkmarks for more information.

FOR RETROFIT LED LAMPS

Affordable fixtures, designed to accept Soraa, Ketra, Philips, or other retrofit LED lamps, sold separately.

MRE					MODELS AVAILABLE		
APERTURE	FUNCTION	LED	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION	
3" 4"	DL AA WL	MR16 RETROFIT LED	<ul style="list-style-type: none"> dim-to-warm available 	✓		✓	

38E					MODELS AVAILABLE		
APERTURE	FUNCTION	LED	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION	
5" 6" 7"	DL AA	PAR38 RETROFIT LED	<ul style="list-style-type: none"> wireless dimming and color tuning sloped available surface-mounted available 	✓			

A19E					MODELS AVAILABLE		
APERTURE	FUNCTION	LED	FEATURES	REMODELER (PRESTO)	IC-RATED (EPIC)	WET LOCATION	
4" 5" 6"	DL WL DW CW	A19 RETROFIT LED	<ul style="list-style-type: none"> interchangeable function affordable surface-mounted available 	✓			



TRIM FLUSH
plaster ring for seamless installation



REFLECTOR
finish options available



ACCESSORIES
spread lenses, diffusers, filters, screens

